L Number	Hits	Search Text	DB	Time stamp
1	5579	((mux or multiplex\$3 or combin\$5) with	USPAT;	2004/08/22 18:09
		rate\$1 with (format\$4 or convert\$3))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	2004/00/22 10-11
2	2817	((mux or multiplex\$3 or combin\$5) near10	USPAT;	2004/08/22 18:11
		rate\$1 near10 (format\$4 or convert\$3))	US-PGPUB; EPO; JPO;	
		,	DERWENT;	
			IBM TDB	
3	2111	(((mux or multiplex\$3 or combin\$5) near10	USPAT;	2004/08/22 18:12
	2,111	rate\$1 near10 (format\$4 or convert\$3)))	US-PGPUB;	
		and (@ad<=19991210 or @rlad<=19991210)	EPO; JPO;	
		,	DERWENT;	
			IBM TDB	
4	471	((((mux or multiplex\$3 or combin\$5) near10	USPAT;	2004/08/22 18:10
		rate\$1 near10 (format\$4 or convert\$3)))	US-PGPUB;	
		and (@ad<=19991210 or @rlad<=19991210))	EPO; JPO;	
		and (725/\$.ccls. or 709/\$.ccls. or	DERWENT;	
_		370/\$.ccls.)	IBM_TDB	2004/02/22 12 12
5	169	((((mux or multiplex\$3 or combin\$5) near10	USPAT;	2004/08/22 18:12
		rate\$1 near10 (format\$4 or convert\$3))) and (@ad<=19991210 or @rlad<=19991210))	US-PGPUB; EPO; JPO;	
		and (725/\$.ccls. or 709/\$.ccls. or	DERWENT;	
		370/\$.ccls.) and (video or television or	IBM TDB	
	1	TV)	1201-120	
6	322	((mux or multiplex\$3 or combin\$5) near10	USPAT;	2004/08/22 18:11
		rate\$1 near10 (format\$4 or convert\$3))	US-PGPUB;	
		same (video or television or TV or audio)	EPO; JPO;	
			DERWENT;	
1			IBM_TDB	
7	253	((mux or multiplex\$3 or combin\$5) near10	USPAT;	2004/08/22 18:19
		rate\$1 near10 (format\$4 or convert\$3))	US-PGPUB;	
		same (video or television or TV)	EPO; JPO;	
			DERWENT;	
8	218	(((mux or multiplex\$3 or combin\$5) near10	IBM_TDB USPAT;	2004/08/22 18:41
0	210	rate\$1 near10 (format\$4 or convert\$3))	US-PGPUB;	2004/00/22 10.11
		same (video or television or TV)) and	EPO; JPO;	
		(@ad<=19991210 or @rlad<=19991210)	DERWENT;	
			IBM TDB	
9	43	((((mux or multiplex\$3 or combin\$5) near10	USPAT;	2004/08/22 18:36
		rate\$1 near10 (format\$4 or convert\$3))	US-PGPUB;	
		same (video or television or TV)) and	EPO; JPO;	
		(@ad<=19991210 or @rlad<=19991210)) and	DERWENT;	
		(725/\$.ccls. or 709/\$.ccls. or	IBM_TDB	
10	4	370/\$.ccls.) ((mux or multiplex\$3 or combin\$5)near2	USPAT;	2004/08/22 18:20
1 10	4	statistic\$4 near10 rate\$1 near10 (format\$4	US-PGPUB;	2001,00,22 10.20
		or convert\$3)) same (video or television	EPO; JPO;	
		or TV)	DERWENT;	
			IBM_TDB	
11	5		USPĀT;	2004/08/22 18:20
		statistic\$4 near10 rate\$1 near10 (format\$4	US-PGPUB;	
		or convert\$3)) same (video or television	EPO; JPO;	
		or TV)	DERWENT;	
1.0		///	IBM_TDB USPAT;	2004/00/22 10:21
12	4	(((mux or multiplex\$3 or combin\$5)near10 statistic\$4 near10 rate\$1 near10 (format\$4	USPAT; US-PGPUB;	2004/08/22 18:21
		or convert\$3)) same (video or television	EPO; JPO;	
		or TV)) and (@ad<=19991210 or	DERWENT;	
		@rlad<=19991210)	IBM TDB	
13	7	Arazi.in. and multiplex	USPAT;	2004/08/22 18:40
	1	•	US-PGPUB;	
			EPO; JPO;	
1			DERWENT;	
			IBM TDB	L

"5305113" "5315584" "5319707" "5195901" "542066" "54004601" "5418782" "542060" "5400661 "5468566" "5432060" "5519780" "5593339" "5506304" "5519780" "5757416" "5783410").RN.					
"5359601" "536213" "5400401" "5400666" "54208666" "5420640" "54208666" "5420640" "54208666" "54208666" "5540660" "5540600" "55197800" "55197800" "55197800" "55197801" "55197801" "55197801" "55197816" "55197801" "55197816" "55197816" "55197816" "55197816" "55197801"	14	23	("4755993" "5168353" "5267334"	USPAT	2004/08/22 18:37
"\$18782" "\$420640" "\$420666" "\$46619" "\$46619" "\$46619" "\$593339" "\$506904" "\$5197800" "\$5197800" "\$593362" "\$506904" "\$5197800" "\$5197800" "\$5197800" "\$5593621" "\$506902" "\$5197800" "\$506902" "\$5197800" "\$506902" "\$5197810" "\$757416" "\$793410")			"5305113" "5315584" "5319707"		
"5448568" "5492006" "5461619" "5983362" "5612742" "559780" "5583562" "5612742" "550825" "577416" "7593410", NN. 15			"5359601" "5386213" "5400401"		
"5493339" "5506904" "5519780"			"5418782" "5420640" "5420866"		
"5583562" "5612742" "5650825" "577416" "7973410").TN. USPAT USPAT;			"5448568" "5452006" "5461619"		
"5583562" "5612742" "5650825" "577416" "7573410" NN 5					
15 9 9566120.UREN 1516355" "5267334" USPAT	1				
15					
16	15	۵		דעם און	2004/08/22 18:40
"\$305113" "\$318584" "\$400401" US-POPUB;	1	1			
"\$359501" "\$386213" "\$400401" EPO; JPO; DERWENT; 18M 7DB "\$418782" "\$420640" "\$420666" "\$48658" "\$420640" "\$420666" "\$519780" "\$548568" "\$5106904" "\$519780" "\$5193339" "\$5106904" "\$519780" "\$51975416" "\$5197410" "\$5197410" "\$51975416" "\$5197410" "\$51975416" "\$5197410" "\$1005133" "\$168353" "\$267334" USPAT; US-ECQUB; "\$1351584" "\$13519584" "\$1351974" "\$3506113" "\$315584" "\$131970" "\$148568" "\$420640" "\$420866" "\$448568" "\$420640" "\$420866" "\$485688" "\$420640" "\$408666" "\$485688" "\$5420640" "\$420866" "\$519780" "\$593352" "\$5106904" "\$519780" "\$593352" "\$5106904" "\$519780" "\$593352" "\$5106904" "\$519780" "\$593352" "\$5106904" "\$519780" "\$593352" "\$5197416" "\$5197410" "\$519	10	1/			2004/00/22 10:41
#541882" "5420640" "5420866" DERWENT;			, , , , , , , , , , , , , , , , , , , ,		
"5448568" "545206" "5461619" TEM_TDB "558366" "550825" "558362" "5510742" "5550825" "5593120" "5793140" "5793140" "5793140" "5793140" "5793140" "5793140" "5793140" "515584" "5157346" "515584" "5157346" "515584" "5157346" "5157346" "51575416" "51575416" "51575416" "5205612" "546856" "546856" "546856" "546856" "546856" "546856" "546856" "546856" "5569825" "557416" "5793160" "579316				ł I	
"5493339" "5506904" "5519780"			l	1	
"5583562" "5612742" "550825" "5757416" "5793410" "5793410" "5793416" "5793416" "5793410" "51961825" "17				IBW_LDB	
"5757416" "5793410").PN.) or 5966120.URPN.) and (multiplex\$5 or mux or combin\$3) with (format\$4 or convert\$4)) USPAT;					
S96612.0.URPN.) and ((multiplex\$5 or mux or combin\$3) with (format\$4 or convert\$4); USPAT; USPAT; USPAT; "30513"; "5168353"; "5267334"; USPAT; USPAT; "5305113"; "530513"; "5400401"; USPAT; USPAT; USPAT; USPAT; "5418782"; "542060"; "5400401"; EPO; JPO; DERWENT; "548368"; "542066"; "5400401"; "54					
17 17 17 18 18 18 18 18					
17				-	
"53051313" "5315584" "5319707" US-PCPUB; T5319601" "5362612" "540001" EFO; JPO; JPO; JPO; JPO; JPO; JPO; JPO; JP			combin\$3) with (format\$4 or convert\$4))		
"5359601" "536213" "5400401" EPO; JPO; 5418782" "542066" DERMENT; 5418782" "5448668" "5452006" "5461619" DERMENT; 5543339" "5506904" "5519780" IBM_TDB "5983562" "5757416" "5793410").PN.) or 5966120.URPN.) and ((multiplex\$5 or mux or combin\$3) with (format\$4 or convert\$41)) and (@ad<=19991210) USPAT; US-PGPUB; DERMENT; IBM_TDB USPAT; US-PGPUB; DERMENT;	17	17	(((("4755993" "5168353" "5267334"	USPAT;	2004/08/22 19:31
"5418782" "5420640" "5420666" DERWENT; 15483389" "552060" "5461619" DERWENT; 15548339" "5506904" "5519780" "558362" "557416" "5757416" "5757416" "5757416" "5757410").EN.) or 5966120.URPN.) and ((multiplex\$5 or mux or combin\$3) with (format\$4 or convert\$41)) and (@ad<=19991210 or @rlad<=19991210) USPAT; US-PGPUB; EPO; JPO; DERWENT; 1BM TDB USPAT; US-PGPUB			"5305113" "5315584" "5319707"	-US-PGPUB;	
"S418782" "\$420640" "5420866" DERWENT; 1548568" "\$48568" "5489568" "5489568" "5489568" "5489568" "55489568" "5548106" "5519780" "558362" "5573746" "5757416" "5757410").EN.) or 5966120.URPN.) and ((multiplex\$5 or mux or combin\$3) with (format\$4 or convert\$4))) and (@ad<=19991210 or @rlad<=19991210) USPAT; US-PGPUB; EPO; JPO; DERWENT; 1BM TDB USPAT; US-P]	"5359601" "5386213" "5400401"	EPO; JPO;	
"5448568" "549300" "5519780" IBM_TDB "5593562" "5612742" "5650825" "5583562" "5793410").PN.) or 5966120.URPN.) and ((multiplex\$5 or mux or combin\$3) with (format\$4 or convert\$41))) and (@ad<=19991210) ('same' near2 format\$4) and (@ad<=19991210)			i i i i i i i i i i i i i i i i i i i		
"5508904" "5519780"			, , , , , , , , , , , , , , , , , , , ,		
"5583562" "5612742" "5650825" "5793410").PN) or 5966120.URPN.) and ((multiplex\$5 or mux or combin\$3) with (format\$4 or convert\$4))) and ((@ad<=19991210) or @rlad<=19991210) ('same' near2 format\$4) and (@ad<=19991210) USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; and (@ad<=19991210) or @rlad<=19991210) USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; USPRT; USPGUB; EPO; JPO; DERWENT; IBM TDB USPAT; USPGUB; EPO; JPO; DERWENT; IBM TDB USPAT; USPAT; USPGUB; EPO; JPO; DERWENT; IBM TDB USPAT; USPGUB; EPO; JPO; DERWENT; USPGUB; EPO; JPO; J	j				
"5757416" "5793410").PN.) or 5966120.URPN.) and (multiplex\$5 or mux or combin\$3) with (format\$4 or convert\$4))) and (@ad<=19991210) or @rlad<=19991210) or @rlad<=19991210]					
S966120.URPN.) and ([multiplex\$5 or mux or combin\$3) with (format\$4 or convert\$4)) and (@ad<=19991210 or @rlad<=19991210)					[. · ·
Combin\$3) with (format\$4 or convert\$4)) and (@ad<=19991210 or @rlad<=19991210) USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PCPUB; EPO; JPO; JPO; JPO; JPO; JPO; JPO; JPO; J			5966120 UPPN) and //multiplex\$5 or mux or		1
18					
18					
Or @rlad<=19991210 US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT;	10	. 20040		HCDAM.	2004/09/22 10-22
19	18	20649	l · ·	1	2004/08/22 19:32
19			or @rlad<=19991210)		
19					
19				1 '	
and (@ad<=19991210 or @rlad<=19991210) S-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; Combin\$3 or insert\$3) and (@ad<=19991210 or @rlad<=19991210 or @rlad<=			'		
20 20 (('same' near2 format\$4)near3 Convert\$3))same (multiplex\$4 or mux or combin\$3 or insert\$3) and (@ad<=19991210 DERWENT; IEM_TDB (19	290	(('same' near2 format\$4)near3 (convert\$3))	USPAT;	2004/08/22 19:32
20 20 (('same' near2 format\$4)near3 USPĀT; IBM_TDB USPĀT; US-PGPUB; EFO; JPO; DERWENT; US-PGPUB; EFO; JPO;			and (@ad<=19991210 or @rlad<=19991210)	US-PGPUB;	
20 20 (('same' near2 format\$4)near3 IBM TDB USFAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USFAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USFAT; USFAT				EPO; JPO;	
20	1	1		DERWENT;	
(convert\$3))same (multiplex\$4 or mux or combin\$3 or insert\$3) and (@ad<=19991210 DERWENT; IBM_TDB DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; IBM_TDB USPAT; US-PGPUB; US-PGPUB; US-PGPUB	<u> </u>	1		IBM TDB	
(convert\$3))same (multiplex\$4 or mux or combin\$3 or insert\$3) and (@ad<=19991210 DERWENT; IBM_TDB DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; IBM_TDB USPAT; US-PGPUB; US-PGPUB; US-PGPUB	20	20	(('same' near2 format\$4)near3	USPĀT;	2004/08/22 19:48
combin\$3 or insert\$3) and (@ad<=19991210 EPO; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB; EPO; JPO; US-PGPUB; EPO; US-PGPUB; EP		1		1	
or @rlad<=19991210) 21	ŀ			1	
21 3 picco.in. and 'local content' and (@ad<=19991210) IBM_TDB USFAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO				1	
21 3 picco.in. and 'local content' and (@ad<=19991210 or @rlad<=19991210) 22 0 Chaney.in. and EPG and (@ad<=19991210 or @rlad<=19991210 or @rlad<			Of Citad(=19991ZIV)	1	
Chaney.in. and EPG and (@ad<=19991210 or @rlad<=19991210 or @rlad<=1	21	2	nicco in and 'local content' and		2004/08/22 19:49
22 0 Chaney.in. and EPG and (@ad<=19991210 or @rlad<=19991210) EPO; JPO; DERWENT; IBM_TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPĀT; Or @rlad<=19991210) USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB;	41	3			2004/00/22 19.49
DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;			(Eau/-13331710 OT ETT90/=13331710)		
22 0 Chaney.in. and EPG and (@ad<=19991210 or @rlad<=19991210)		Ī			
22 0 Chaney.in. and EPG and (@ad<=19991210 or @rlad<=19991210) USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPĀT; US-PGPUB; EPO; JPO; US-PGPUB; EPO;		Ī			·
0					0004/00/00
EPO; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB; EPO; JPO; US-PGPUB; EPO; JPO; US-PGPUB; EPO; JPO;	22	0			2004/08/22 19:49
DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;		Ī	@rlad<=19991210)		
23 1777 Chaney.in. MPG and (@ad<=19991210 or @rlad<=19991210) Chaney.in. MPG and (@ad<=19991210 or @rlad<=19991210 or @rlad<=1] .	Ī			
23 1777 Chaney.in. MPG and (@ad<=19991210 or @rlad<=19991210) USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; Or @rlad<=19991210) USPAT; US-PGPUB; EPO; JPO; US-PGPUB; EPO; US-PG		Ī			
@rlad<=19991210) @rlad<=19991210) US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO;		Ī			
@rlad<=19991210) @rlad<=19991210) US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO;	23	1777	Chaney.in. MPG and (@ad<=19991210 or	USPAT;	2004/08/22 19:49
EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; US-PGPUB; EPO; US-PGPUB; E				US-PGPUB;	
DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; USPAT; US-PGPUB; EPO; JPO;		1	·		
24 4 Chaney.in. and MPG and (@ad<=19991210 or @rlad<=19991210) 25 2 Terasawa.in. and EPG1 and (@ad<=19991210 USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPĀT; US-PGPUB; EPO; JPO; USPĀT; US-PGPUB; EPO; JPO; USPĀT; US-PGPUB; EPO; JPO;		1			
24 4 Chaney.in. and MPG and (@ad<=19991210 or @rlad<=19991210) USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPĀT; US-PGPUB; or @rlad<=19991210) USPĀT; US-PGPUB; EPO; JPO; USPĀT; US-PGPUB; EPO; JPO; USPĀT; US-PGPUB; EPO; JPO;					
@rlad<=19991210) US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; Or @rlad<=19991210) US-PGPUB; EPO; JPO; US-PGPUB; EPO; JPO;	24		Chanevin, and MPG and (Mad<=19991210 or		2004/08/22 19:57
EPO; JPO; DERWENT; IBM_TDB 25 2 Terasawa.in. and EPG1 and (@ad<=19991210 USPAT; US-PGPUB; EPO; JPO;				i	=====================================
DERWENT; IBM_TDB USPAT; or @rlad<=19991210) DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;			UIIAUN-19991210		
25 2 Terasawa.in. and EPG1 and (@ad<=19991210 USPAT; US-PGPUB; EPO; JPO; US-PGPUB; EPO; JPO;		1			
25 2 Terasawa.in. and EPG1 and (@ad<=19991210 USPĀT; US-PGPUB; EPO; JPO; US-PGPUB; EPO; JPO;					
or @rlad<=19991210)	1 25		B		2004/00/00 00 00
EPO; JPO;	25	2			2004/08/22 20:03
	1		or @riad<=19991210)		
]			
DERWENT;	1				
IBM TDB		<u> </u>		IBM_TDB	

26	141	Gordon.in. and (multiplex\$3 same rate\$1) and (@ad<=19991210 or @rlad<=19991210)	USPAT; US-PGPUB; EPO; JPO;	2004/08/22 20:03
			DERWENT; IBM TDB	
27	4	Gordon.in. and (multiplex\$3 same rate\$1 same bps) and (@ad<=19991210 or	USPĀT; US-PGPUB;	2004/08/22 20:04
		@rlad<=19991210)	EPO; JPO; DERWENT; IBM TDB	
28	3	Gordon.in. and (multiplex\$3 same rate\$1 same guide) and (@ad<=19991210 or @rlad<=19991210)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/08/22 20:04
-	53046	Arazi.in. or chen.in.	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/12/09 16:30
_	188	(Arazi.in. or chen.in.) and (725/\$.ccls. or 709/\$.ccls.)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/12/09 16:31
-	92368	((addition\$5 or supplementa\$3 or subsidiary or ancillary or control or auxiliary or associate\$1 or program)near2 (design or information or data or content))with (video or TV or CATV or	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/12/11 17:37
-	31	television or image or content) ((Arazi.in. or chen.in.) and (725/\$.ccls. or 709/\$.ccls.)) and (((addition\$5 or supplementa\$3 or subsidiary or ancillary or control or auxiliary or associate\$1 or program)near2 (design or information or	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/09 16:41
-	16	data or content)) with (video or TV or CATV or television or image or content)) (((Arazi.in. or chen.in.) and (725/\$.ccls. or 709/\$.ccls.)) and (((addition\$5 or supplementa\$3 or subsidiary or ancillary or control or auxiliary or associate\$1 or program) near2 (design or information or	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/09 17:39
- - -	3 18 23	data or content))with (video or TV or CATV or television or image or content))) and (@ad<=19991210 or @rlad<=19991210) ("4449249" "5526035" "5534944").PN. 5917830.URPN. ("4755993" "5168353" "5267334" "5305113" "5315584" "5319707" "5359601" "5386213" "5400401" "5418782" "5420866"	USPAT USPAT USPAT	2002/12/09 16:51 2002/12/09 16:53 2002/12/09 17:01
-	4	"5448568" "5452006" "5461619" "5493339" "5506904" "5519780" "5583562" "5612742" "5650825" "5757416" "5793410").PN. 5793410.URPN.	USPAT	2002/12/09 17:17
_	4 26	5793410.URPN. ("4760442" "4995078" "5029333" "5206722" "5247347" "5287539" "5303229" "5341474" "5349457" "5371532" "5387927" "5394559" "5396546" "5404393" "5408260" "5410343" "5414455" "5442390" "5446735" "5533018" "5550577" "5557317" "55838661" "5583864"	USPAT	2002/12/09 17:20 2002/12/09 17:21
-	4595	"5594491" "5603058").PN. Rao.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/12/09 17:37

		DOD (4		10000/10/00 17	207
_	3	Rao.in.and 725/\$.ccls.	USPAT;	2002/12/09 17	:38
			US-PGPUB;		
			EPO; JPO; DERWENT;		
			IBM TDB		
l <u>-</u>	95	725/95,96.ccls.	USPAT;	2002/12/09 17	:39
		720, 30, 30, 30.	US-PGPUB;	2002, 22, 03	
			EPO; JPO;		
			DERWENT;		
			IBM_TDB		
-	67	725/95,96.ccls. and (@ad<=19991210 or	USPAT;	2002/12/09 17	:42
		@rlad<=19991210)	US-PGPUB;		
			EPO; JPO;		
			DERWENT;		
	E 1	725/05 06 2212 224 (024<-10001210 22	IBM_TDB USPAT;	2002/12/09 17	. 50
-	31	725/95,96.ccls. and (@ad<=19991210 or @rlad<=19991210) and (mux or multiplex\$3 or	US-PGPUB;	2002/12/09 17	. 39
		combin\$5)	EPO; JPO;	*	
		Combined	DERWENT;		
			IBM TDB		
1 -	26	(((addition\$5 or supplementa\$3 or	USPAT;	2004/08/22 18	:08
		subsidiary or ancillary or control or	US-PGPUB;		
		auxiliary or associate\$1 or program)near2	EPO; JPO;		
		(design or information or data or	DERWENT;		
		content)) with (video or TV or CATV or	IBM_TDB		
		television or image or content)) and			
		(725/95,96.ccls. and (@ad<=19991210 or			
		<pre>@rlad<=19991210)and (mux or multiplex\$3 or combin\$5))</pre>			
_	634		USPAT;	2002/12/09 17	.58
	054	723/40/34/30/110/110/110 110.0013.	US-PGPUB;	2002/12/03 1/	
			EPO; JPO;		
			DERWENT;		
			IBM TDB		
-	32.6		USPAT;	2002/12/09 17	:59
		(((addition\$5 or supplementa\$3 or	US-PGPUB;		
		subsidiary or ancillary or control or	EPO; JPO;		
•		auxiliary or associate\$1 or program)near2	DERWENT;		
	1	(design or information or data or	IBM_TDB		
		content))with (video or TV or CATV or television or image or content))			
_	242		USPAT;	2002/12/09 18	:01
	. 212	(((addition\$5 or supplementa\$3 or	US-PGPUB;	2002, 12, 03 10	•••
		subsidiary or ancillary or control or	EPO; JPO;		
		auxiliary or associate\$1 or program)near2	DERWENT;		
		(design or information or data or	IBM_TDB		
		content)) with (video or TV or CATV or			
		television or image or content))) and			-
		(@ad<=19991210 or @rlad<=19991210) and (mux			
<u> </u>	125	or multiplex\$3 or combin\$5) (725/48,54,98,116,118,146-148.ccls. and	USPAT;	2002/12/09 19	
_	135	(((addition\$5 or supplementa\$3 or	US-PGPUB;	2002/12/09 19	.00
		subsidiary or ancillary or control or	EPO; JPO;		
		auxiliary or associate\$1 or program)near2	DERWENT;		
	1	(design or information or data or	IBM_TDB		
		content)) with (video or TV or CATV or	_		
	1	television or image or content))) and			
		(@ad<=19991210 or @rlad<=19991210) and			
	1	((mux or multiplex\$3 or combin\$5)same			ļ
		(server or head\$lend or 'head end' or 'CO'			
_	665	or (central near2 office) or provider)) 709/217,219.ccls. and (@ad<=19991210 or	USPAT;	2002/12/09 19	. 21
=	665	09/217,219.6618. and (@ad<=19991210 of @rlad<=19991210) and ((mux or multiplex\$3	US-PGPUB;	2002/12/03 19	. 24
	1	or combin\$5)same (server or head\$lend or	EPO; JPO;		
		'head end' or 'CO' or (central near2	DERWENT;		
		office) or provider))	IBM TDB		
	1	1			

				,
-	236	(709/217,219.ccls. and (@ad<=19991210 or	USPAT;	2002/12/09 19:23
		@rlad<=19991210)and ((mux or multiplex\$3	US-PGPUB;	
		or combin\$5)same (server or head\$lend or	EPO; JPO;	
		'head end' or 'CO' or (central near2 .	DERWENT;	
	i	office) or provider))) and (((addition\$5	IBM_TDB	
		or supplementa\$3 or subsidiary or ancillary or control or auxiliary or	1	
		associate\$1 or program)near2 (design or	1	
		information or data or content)) with	1	
		(video or TV or CATV or television or		
		image or content))		
_	24	709/217,219.ccls. and (@ad<=19991210 or	USPAT;	2002/12/10 13:39
	27	@rlad<=19991210) and ((mux or multiplex\$3	US-PGPUB;	2002/12/10 13:33
		or combin\$5)same (server or head\$1end or	EPO; JPO;	
		'head end' or 'CO' or (central near2	DERWENT;	
		office) or provider))same (((addition\$5 or	IBM TDB	
		supplementa\$3 or subsidiary or ancillary		
		or control or auxiliary or associate\$1 or		
		program) near2 (design or information or		
		data or content)) with (video or TV or CATV		
		or television or image or content))		
-	2	5579527.pn.	USPAT;	2002/12/10 13:39
		· · · · · · · · · · · · · · · · · · ·	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	310627	((IP or protocol or command or control)	USPĀT;	2002/12/11 10:00
		with (convert\$3 or transform\$3 or MPEG\$2))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	7397	((IP or protocol or command or control)	USPĀT;	2002/12/11 10:02
		with (convert\$3 or transform\$3 or	US-PGPUB;	,
		MPEG\$2))same (multiplex\$3 or combin\$3 or	EPO; JPO;	
		modulat\$3 or encod\$3)same (program or	DERWENT;	
		stream or video or TV or television)	IBM_TDB	
-	1535	((addition\$5 or supplementa\$3 or	USPAT;	2002/12/11 10:05
		subsidiary or ancillary or control or	US-PGPUB;	
		auxiliary or associate\$1 or program)near2	EPO; JPO;	
		(design or information or data or	DERWENT;	
		content))same (((IP or protocol or command	IBM_TDB	
		or control) with (convert\$3 or transform\$3		
		or MPEG\$2))same (multiplex\$3 or combin\$3		
		or modulat\$3 or encod\$3)same (program or		
1_	243	stream or video or TV or television)) (((addition\$5 or supplementa\$3 or	USPAT;	2003/05/20 15-21
	243	subsidiary or ancillary or control or		2003/05/29 15:31
	!	auxiliary or associate\$1 or program)near2	US-PGPUB; EPO; JPO;	
		(design or information or data or	DERWENT;	
		content))same (((IP or protocol or command	IBM TDB	
		or control) with (convert\$3 or transform\$3		·
		or MPEG\$2))same (multiplex\$3 or combin\$3	1	
		or modulat\$3 or encod\$3) same (program or	1	
		stream or video or TV or television))) and	1	
		(725/\$ or 709/\$).ccls.	1	
_	167	((((addition\$5 or supplementa\$3 or	USPAT;	2002/12/11 12:48
		subsidiary or ancillary or control or	US-PGPUB;	
		auxiliary or associate\$1 or program)near2	EPO; JPO;	
		(design or information or data or	DERWENT;	
1		content)) same (((IP or protocol or command	IBM TDB	
		or control) with (convert\$3 or transform\$3	_	
		or MPEG\$2))same (multiplex\$3 or combin\$3	i	
		or modulat\$3 or encod\$3)same (program or		
		stream or video or TV or television))) and		
		(725/\$ or 709/\$).ccls.) and (@ad<=19991210		
		or @rlad<=19991210) and (server or		
		head\$1end or 'head end' or 'CO' or		
	L	(central near2 office) or provider)		

-	10	(IP or 'internet protocol') with (ASI or	USPAT;	2002/12/11 12:53
		'asynchronous serial interface')	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	•
_	8	((IP or 'internet protocol') with (ASI or	IBM_TDB USPAT;	2002/12/11 13:03
	0	'asynchronous serial interface')) and	US-PGPUB;	2002/12/11 13.03
		(@ad<=19991210 or @rlad<=19991210)	EPO; JPO;	
		(644 13331210 01 01144 13331210)	DERWENT;	
			IBM TDB	
_	16		USPĀT;	2002/12/11 12:53
		'asynchronous serial interface')	US-PGPUB;	
			EPO; JPO;	
		•	DERWENT;	
	8	(((IP or 'internet protocol') same (ASI or	IBM_TDB USPAT;	2002/12/11 12:54
	0	'asynchronous serial interface')) not	US-PGPUB;	2002/12/11 12:54
		(((IP or 'internet protocol') with (ASI or	EPO; JPO;	·
		'asynchronous serial interface')) and	DERWENT;	
		(@ad<=19991210 or @rlad<=19991210)))	IBM TDB	
_	2	((((IP or 'internet protocol') same (ASI	USPĀT;	2002/12/11 14:15
		or 'asynchronous serial interface')) not	US-PGPUB;	
		(((IP or 'internet protocol') with (ASI or	EPO; JPO;	
		'asynchronous serial interface')) and	DERWENT;	
		(@ad<=19991210 or @rlad<=19991210)))) and	IBM_TDB	
_	10	(@ad<=19991210 or @rlad<=19991210) ((IP or 'internet protocol') same (ASI or	USPAT;	2002/12/11 14:26
1	10	'asynchronous serial interface')) and	US-PGPUB;	2002/12/11 14:20
		(@ad<=19991210 or @rlad<=19991210)	EPO; JPO;	· ·
		((00 - 13331110)1 (1110 - 13331110)	DERWENT;	
			IBM TDB	
-	6	\	USPĀT;	2002/12/11 14:25
		(availability near2 bandwidth)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	3	((statistical near2 multiplex\$3) same	IBM_TDB USPAT;	2002/12/11 14:15
]	((availability near2 bandwidth)) and	US-PGPUB;	2002/12/11 14:15
		(@ad<=19991210 or @rlad<=19991210)	EPO; JPO;	
		,,	DERWENT;	
		·	IBM_TDB	*
-	424	(statistical near2 multiplex\$3) same (USPAT;	2002/12/11 14:25
		bandwidth)	US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	,
_	269	(statistical near2 multiplex\$3) with (USPAT;	2002/12/11 14:25
		bandwidth)	US-PGPUB;	
		·	EPO; JPO;	
	-	*	DERWENT;	
			IBM_TDB	
-	38	((statistical near2 multiplex\$3) with (USPAT;	2002/12/11 14:26
		bandwidth)) and (725/\$.ccls. or	US-PGPUB;	
		709/\$.ccls.)	EPO; JPO; DERWENT;	
			IBM TDB	
-	24	(((statistical near2 multiplex\$3) with (USPAT;	2002/12/11 17:37
		bandwidth)) and (725/\$.ccls. or	US-PGPUB;	
		709/\$.ccls.)) and (@ad<=19991210 or	EPO; JPO;	
		@rlad<=19991210)	DERWENT;	
			IBM_TDB	0000 (10 (5 5 5 5
-	10974	(((addition\$5 or supplementa\$3 or	USPAT;	2002/12/11 17:52
		subsidiary or ancillary or control or auxiliary or associate\$1 or program)near2	US-PGPUB;	
		design or information or data or	EPO; JPO; DERWENT;	
]		content))or IP)same (priorit\$4)	IBM TDB	
_	554	((((addition\$5 or supplementa\$3 or	USPĀT;	2002/12/11 17:56
		subsidiary or ancillary or control or	US-PGPUB;	
		auxiliary or associate\$1 or program)near2	EPO; JPO;	
<u> </u>		(design or information or data or	DERWENT;	
		content))or IP)with (priorit\$4))same (mux	IBM_TDB	
		or multiplex\$3 or combin\$3 or insert\$3)	<u> </u>	

-	326		USPAT;	2002/12/11 17:57
		subsidiary or ancillary or control or	US-PGPUB;	
		auxiliary or associate\$1 or program)near2 (design or information or data or	EPO; JPO; DERWENT;	
		content))or IP)with (priorit\$4))with (mux	IBM TDB	
		or multiplex\$3 or combin\$3 or insert\$3)	151155	
_	74120	insert\$3 with prior\$6	USPAT;	2002/12/11 17:57
		*	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	19389	(725/\$ or 709/\$).ccls. and (@ad<=19991210	IBM_TDB USPAT;	2002/12/11 17:58
-	19389	or @rlad<=19991210	US-PGPUB;	2002/12/11 17:36
		or gridat-19991210)	EPO; JPO;	
	l .		DERWENT;	,
			IBM_TDB	
-	28	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	USPAT;	2002/12/11 18:09
		subsidiary or ancillary or control or	US-PGPUB;	
		auxiliary or associate\$1 or program)near2	EPO; JPO;	
		<pre>(design or information or data or content))or IP)with (priorit\$4))with (mux</pre>	DERWENT; IBM TDB	
•		or multiplex\$3 or combin\$3 or insert\$3))	TDM_TDB	
1	1	and ((725/\$ or 709/\$).ccls. and		
		(@ad<=19991210 or @rlad<=19991210))		
-	460	(insert\$3 with prior\$6) and ((725/\$ or	USPAT;	2002/12/11 17:59
		709/\$).ccls. and (@ad<=19991210 or	US-PGPUB;	
		@rlad<=19991210))	EPO; JPO;	
			DERWENT; IBM TDB	
_	1	('high speed' near3 ASI) or (HS\$1ASI)	USPAT;	2003/05/29 14:25
	1	(might opened models mar) of (motifical)	US-PGPUB;	2003,00,23 11120
			EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	
_	0	('high speed' near3 ASI) or (HS\$1ASI) and	USPAT;	2003/05/29 14:29
		'in band'	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	8672	('high speed' near3 ASI) or (HS\$1ASI) or	USPAT;	2003/05/29 14:32
		'in band' or in\$1band	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
_	216	('in band' or in\$1band)same (multiplex\$3	USPAT;	2003/05/29 14:35
		or mux or switch\$3 or combin\$4 or mix\$3)	US-PGPUB;	
		same (stream\$3)	EPO; JPO;	
			DERWENT;	
	130	('in band' or in\$1band)same (multiplex\$3	IBM_TDB USPAT;	2003/05/29 14:49
		or mux or switch\$3 or combin\$4 or mix\$3)	US-PGPUB;	2003/03/23 14:49
		same (content or program)	EPO; JPO;	
}			DERWENT;	
		5000550	IBM_TDB	
-	. 2	6300659.pn.	USPAT;	2003/05/29 14:38
			US-PGPUB; EPO; JPO;	
-			DERWENT;	
			IBM TDB	
-	6	("5225902" "5544161" "5740075"	USPAT	2003/05/29 14:51
		"5818438" "5850218" "6055315").PN.		
_	0	6240553.URPN.	USPAT	2003/05/29 14:58
_	94	<pre>(('in band' or in\$1band)same (multiplex\$3 or mux or switch\$3 or combin\$4 or mix\$3)</pre>	USPAT; US-PGPUB;	2003/05/29 15:25
		same (content or program)) and	EPO; JPO;	
1		(@ad<=19991210 or @rlad<=19991210)	DERWENT;	
			IBM TDB	
-	2352	ASI	USPĀT;	2003/05/29 15:30
			US-PGPUB;	
			EPO; JPO; DERWENT;	
		·	IBM TDB	
L	l	<u></u>	1	L

			T	
	15	ASI same (high adj speed)	USPAT;	2003/05/29 15:26
,			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
	9	(ASI same (high adj speed)) and	USPAT;	2003/05/29 15:53
		(@ad<=19991210 or @rlad<=19991210)	US-PGPUB;	2003/03/23 13:33
		(ead(-19991210 Of effact 19991210)	EPO; JPO;	
		,	DERWENT;	
			IBM TDB	•
_	490	((addition\$5 or supplementa\$3 or	USPAT;	2003/05/29 15:46
		subsidiary or ancillary or control or	US-PGPUB;	
		auxiliary or associate\$1 or program)near2	EPO; JPO;	
	1	(design or information or data or	DERWENT;	
		content))and ASI	IBM TDB	
-	23	((addition\$5 or supplementa\$3 or	USPAT;	2003/05/29 15:48
		subsidiary or ancillary or control or	US-PGPUB;	
		auxiliary or associate\$1 or program)near2	EPO; JPO;	
	İ	(design or information or data or	DERWENT;	
		content))and ASI and 725/\$.ccls.	IBM_TDB	
-	14	((addition\$5 or supplementa\$3 or	USPAT;	2003/05/29 15:53
	1	subsidiary or ancillary or control or	US-PGPUB;	
1	1	auxiliary or associate\$1 or program)near2	EPO; JPO;	,
1	1.	(design or information or data or	DERWENT;	
		content)) and ASI and (725/87-104).ccls.	IBM_TDB	2002/05/20 45 52
_	13	(((addition\$5 or supplementa\$3 or	USPAT;	2003/05/29 15:53
		subsidiary or ancillary or control or	ŲS-PGPUB;	
	1	auxiliary or associate\$1 or program)near2	EPO; JPO;	
		(design or information or data or	DERWENT;	
		content))and ASI and 725/\$.ccls.) and	IBM_TDB	
	7	(@ad<=19991210 or @rlad<=19991210)	HCDAT.	2003/05/29 16:00
-	· · · · · · · · · · · · · · · · · · ·	(((addition\$5 or supplementa\$3 or	USPAT;	2003/03/29 10:00
		subsidiary or ancillary or control or auxiliary or associate\$1 or program)near2	US-PGPUB; EPO; JPO;	·
		(design or information or data or	DERWENT;	
		content)) and ASI and (725/87-104).ccls.)	IBM TDB	
	1	and (@ad<=19991210 or @rlad<=19991210)	1201-122	
_	6	((((addition\$5 or supplementa\$3 or	USPAT;	2003/05/30 09:05
	1	subsidiary or ancillary or control or	US-PGPUB;	=====, 55, 55
		auxiliary or associate\$1 or program)near2	EPO; JPO;	
		(design or information or data or	DERWENT;	
		content)) and ASI and 725/\$.ccls.) and	IBM TDB	
		(@ad<=19991210 or @rlad<=19991210)) not	_	
		((((addition\$5 or supplementa\$3 or		
		subsidiary or ancillary or control or		
		auxiliary or associate\$1 or program)near2		
		(design or information or data or		
		content))and ASI and (725/87-104).ccls.)	ļ.	
		and (@ad<=19991210 or @rlad<=19991210))		
-	0	6154772.pn. and IP	USPAT;	2003/05/30 09:06
			US-PGPUB;	
1			EPO; JPO;	
			DERWENT;	
			IBM_TDB	0000/05/55
_	20808	6154772.pn. and IP or 'internet protocol'	USPAT;	2003/05/30 09:06
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
1.	_	C154270	IBM_TDB	2002/05/20 00 00
_	0	6154772.pn. and (IP or 'internet	USPAT;	2003/05/30 09:06
		protocol')	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	604	370/537.ccls.	IBM_TDB USPAT;	2003/11/12 10.05
-	604	370/337.0018.	US-PGPUB;	2003/11/13 18:05
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
L			1 2011_100	<u> </u>

-	531	370/537.ccls. and multiplex\$4	USPAT;	2003/11/13 18:05
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
_	31	370/537.ccls. and (statistical\$3 with	USPAT;	2003/11/13 18:53
	31	multiplex\$4)	US-PGPUB;	2003, 11, 13 10.03
		marcipion 7 17	EPO; JPO;	
		·	DERWENT;	
			IBM TDB	
_	28	(370/537.ccls. and (statistical\$3 with	USPAT;	2003/11/13 18:54
		multiplex\$4)) and (@ad<=19991210 or	US-PGPUB;	
		@rlad<=19991210)	EPO; JPO;	
			DERWENT;	
		000/500	IBM_TDB	0000/11/10 10 5.
-	23	370/537.ccls. and (((spare or waste\$1 or	USPAT;	2003/11/13 18:54
	-	available) near2 bandwidth) same	US-PGPUB; EPO; JPO;	•
		multiplex\$4)	DERWENT;	
			IBM TDB	
_	19	(370/537.ccls. and (((spare or waste\$1 or	USPAT;	2003/11/13 19:01
1		available) near2 bandwidth) same	US-PGPUB;	
		multiplex\$4)) and (@ad<=19991210 or	EPO; JPO;	
		@rlad<=19991210)	DERWENT;	
8			IBM_TDB	
-	2	5506844.pn.	USPĀT;	2003/11/13 19:01
			US-PGPUB;	
			EPO; JPO;	
*			DERWENT;	
	20		IBM_TDB	0004/04/06 00 56
_	32	(IP near2 format\$4) with MPEG	USPAT;	2004/04/26 22:56
*			US-PGPUB; EPO; JPO;	
İ		·	DERWENT;	
			IBM TDB	
_	3935	(mux or multiplexer) with (format\$5)	USPAT;	2004/04/26 22:56
	3333	(man of materpresel) with (formatto)	US-PGPUB;	2001, 01, 20 22:00
			EPO; JPO;	_
			DERWENT;	
			IBM_TDB	
_	2000	((mux or multiplexer) with (format\$5) with	USPAT;	2004/04/26 22:59
-		(data or application))	US-PGPUB;	
	1		EPO; JPO;	
		•	DERWENT;	
1_	1671	(((mux or multiplexer) with (format\$5)	IBM_TDB USPAT;	2004/04/26 22:58
1 -	1671	with (data or application))) and	US-PGPUB;	2004/04/20 22:38
		(@ad<=19991210 or @rlad<=19991210)	EPO; JPO;	
		(Caa : 1)))1210 Of GITAG (1)))1210)	DERWENT;	
		•	IBM TDB	
_	1187	(((mux or multiplexer) with (format\$5)	USPAT;	2004/04/26 22:59
		with (data or application))) and	US-PGPUB;	
		(@ad<=19991210 or @rlad<=19991210) and	EPO; JPO;	
		(guide or application)	DERWENT;	
			IBM_TDB	0004/5:/
_	383	((((mux or multiplexer) with (format\$5)	USPAT;	2004/04/26 22:58
		with (data or application))) and	US-PGPUB;	
		(@ad<=19991210 or @rlad<=19991210) and	EPO; JPO; DERWENT;	
		(guide or application)) and (370/\$.ccls. or 725/\$.ccls.)	IBM TDB	
_	6	1	USPAT;	2004/04/26 23:03
	•	with (format\$5) with (data or	US-PGPUB;	2001/04/20 25:05
		application))	EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	11	((mux or multiplexer) with statistical\$3	USPĀT;	2004/04/26 22:59
	1	with format\$5)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	

_	8	(((mux or multiplexer) with statistical\$3 with format\$5)) and (@ad<=19991210 or @rlad<=19991210)	USPAT; US-PGPUB; EPO; JPO;	2004/04/26 22:59
			DERWENT; IBM_TDB	
-	1369	<pre>(((mux or multiplexer) near10 format\$5) with (data or application))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/04/26 23:03
_	342	<pre>(((mux or multiplexer) near10 format\$5) with (data or application) with (convert\$3 or transform\$3 or reformat\$3))</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/04/26 23:04
-	288	<pre>((((mux or multiplexer) near10 format\$5) with (data or application) with (convert\$3 or transform\$3 or reformat\$3))) and (@ad<=19991210 or @rlad<=19991210)</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/04/26 23:07
-	144	<pre>((((mux or multiplexer) near10 format\$5) with (data or application) with (convert\$3 or transform\$3 or reformat\$3))) and (@ad<=19991210 or @rlad<=19991210) and</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/04/26 23:07
-	84	video ((((mux or multiplexer) near10 format\$5) with (data or application) with (convert\$3 or transform\$3 or reformat\$3))) and (@ad<=19991210 or @rlad<=19991210) and	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/04/26 23:07
_	23	video and encod\$3 ((((mux or multiplexer) near10 format\$5) with (data or application) with (convert\$3 or transform\$3 or reformat\$3))) and (@ad<=19991210 or @rlad<=19991210) and video and encod\$3 and (725/\$.ccls. or	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/26 23:08
-	3	370/\$.ccls.) 6601103.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/04/28 20:35
-	2	6044396.pn. and (@ad<=19991210 or @rlad<=19991210)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/08/20 18:55
-	89814	((mux or multiplex\$3 or combin\$5) near10 (format\$4 or convert\$3)) and (@ad<=19991210 or @rlad<=19991210)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/08/20 18:56
-	7274	((mux or multiplex\$3) near10 format\$5) and (@ad<=19991210 or @rlad<=19991210)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/08/20 18:57
- .	4373	((mux or multiplex\$3) near10 format\$5)same (data or EPG or guide) and (@ad<=19991210 or @rlad<=19991210)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/08/20 18:57
-	2990	((mux or multiplex\$3) near5 format\$5)same (data or EPG or guide) and (@ad<=19991210 or @rlad<=19991210)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/08/20 18:57
-	529	((mux or multiplex\$3) near5 format\$5)same (data or EPG or guide)same (video or television or TV) and (@ad<=19991210 or @rlad<=19991210)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/20 18:58

-	61	(((mux or multiplex\$3) near5 format\$5)same	USPAT;	2004/08/20 19:33
		(data or EPG or guide)same (video or	US-PGPUB;	
		television or TV) and (@ad<=19991210 or	EPO; JPO;	
		@rlad<=19991210)) and 725/\$.ccls.	DERWENT;	
			IBM TDB	
-	85	(((mux or multiplex\$3) near5 format\$5)same	USPAT;	2004/08/20 19:48
		(data or EPG or guide)same (video or	US-PGPUB;	
		television or TV) and (@ad<=19991210 or	EPO; JPO;	
		@rlad<=19991210)) and 370/\$.ccls.	DERWENT;	
			IBM TDB	
_	3	Sezan.in. and (key near2 frame)	USPAT;	2004/08/20 19:48
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	